WHAT IS CLAIMED IS:

1

2

3

4

1

2

1

2

3

5

6

1

2

1

2

- 1	,	l mati	had af	1-4		_ 1	11			•		
_ 1	. <i>F</i>	7 men	noa or	determ	nnn	a bac	kgrouna	intensity	an ·	ımage	compris	mo
					0				****		Compris	s.

- selecting a plurality of spots within the image falling within a least squares curve fit;
 - determining a constant background intensity for the spots within the curve fit.
 - 2. The method of Claim 1, further comprising determining a ratio an experimental image to a control image.
 - 3. The method of Claim 2, further comprising determining the least squares curve fit from the equation:

$$r_m = R(g_m - g_h) + r_h = Rg_m + k$$

where r_m and g_m are the measured values of the images, r_b , and g_b are the background intensities of the images, and k is a constant.

- 4. The method of Claim 3, further comprising applying a constraint so the background intensities are greater than the bias levels.
- 5. The method of Claim 3, further comprising applying a constraint so the background intensities create a zero intercept of a linear regression of the equation:

$$(r_m - r_b) = m(g_m - g_b) + b$$

4 Equation 13

such that b is approximately zero, which occurs when

$$b = mg_b - r_b.$$

- 6. The method of Claim 5, further comprising extracting the background subtraction constants.
- 7. A method of selecting a microarray scan for analysis comprising: determining a coefficient of variation for the microarray scan;

- 3
- comparing the coefficient of variation to a predetermined threshold; and
- 4
- selecting a microarray scan if the coefficient of variation is lower than the predetermined threshold.
- 1 2

5

8. The method of Claim 7, further comprising determining the coefficient of variation from the equation:

- The line line was true sum that the

- - 5
 - 1 2
 - 3
 - 1
 - 2
- 13.
 - The method of Claim 11, further comprising normalizing the covariance by

- $CV = \frac{R_{SD}}{R}$ where $R_{SD} \approx \sqrt{g_{SD}^2 \frac{\overline{r}^2}{\overline{g}^4} + \frac{r_{SD}^2}{\overline{g}^2} 2\sigma_{rg} \frac{\overline{r}}{\overline{g}^3}}$.
- The method of Claim 7, further comprising determining a spot coefficient of 9. variation.
- 10. The method of Claim 7, further comprising determining an average coefficient of variation.
 - 11. A method of extracting data from an image comprising:
 - determining a covariance and a variance the of the image;
 - normalizing the covariance;
 - determining the average and standard deviation of the covariance; and
 - selecting the data based on the average and standard deviation of the covariance.
- 12. The method of Claim 11, further comprising calculating the covariance according to the following equation:
 - $\sigma_{rg} = \frac{1}{n} \sum_{i=1}^{n} (r_i \overline{r})(g_i \overline{g}).$
- adding the variances in quadrature according to the following equation:

$$\sigma_{rg}' = \frac{\sigma_{rg}}{\sqrt{\sigma_r^2 + \sigma_g^2}},$$

3

4

5

1

2

3

1

2

3

4

5

1

where σ'_{rg} is the normalized covariance, and σ_r , and σ_g are the variances of the control and experimental channels.

14. The method of Claim 11, further comprising normalizing the covariance by adding the variances according to the following equation:

$$\sigma_{rg}' = \frac{\sigma_{rg}}{\left[\frac{(\sigma_r + \sigma_g)}{2}\right]},$$

where σ'_{rg} is the normalized covariance, and σ_r , and σ_g are the variances of the control and experimental channels.

15. The method of Claim 11, further comprising normalizing the covariance by using a control channel variance according to the following equation:

$$\sigma_{rg}' = \frac{\sigma_{rg}}{\sigma_g},$$

where σ'_{rg} is the normalized covariance, and σ_r , and σ_g are the variances of the control and experimental channels.

16. The method of Claim 11, further comprising normalizing the covariance by using an experimental channel variance according to the following equation

$$\sigma_{rg}' = \frac{\sigma_{rg}}{\sigma_r},$$

- where σ'_{rg} is the normalized covariance, and σ_r , and σ_g are the variances of the control and experimental channels.
 - 17. A method of extracting data from an image comprising:

1

2

1

2

1

2

- determining a covariance and a variance the of the image;

 determining the slope of the covariance plotted against the variance; and

 selecting the data where the slope exceeds a predetermined threshold.
 - 18. The method of Claim 17, further comprising plotting each covariance value versus the average variance values.
 - 19. The method of Claim 17, further comprising ignoring data points not along the slope of the covariance plotted against the variance.
 - 20. The method of Claim 17, further comprising performing linear regression of the covariance plotted against the variance to create a distribution of data points.
 - 21. The method of Claim 20, further comprising selecting an image having a tight distribution of data points.